

RECEIVED  
CENTRAL FAX CENTER

JAN 17 2008

**AMENDMENTS TO THE DRAWINGS**

The attached "Replacement Sheet(s)" of drawings include Figures 1-5 as originally filed with the application. The attached "Replacement Sheet(s)" replace the drawings filed with the application on October 19, 2007.

Serial No. 09/784,836

Page 5 of 6

RECEIVED  
CENTRAL FAX CENTER

JAN 17 2008

REMARKS

Applicant has been informed by the Examiner of errors in the drawings that were found by the Office of Patent Publications. Applicant has amended the specification to correct inconsistencies between with the drawings according to the Examiner's suggestions. In addition, application submits replacement drawings showing Figures 1-5 which are intended to replace drawings submitted on October 19, 2007. It is believed that the present application is in condition for allowance. Thus, prompt and favorable consideration of this amendment is respectfully requested.

If the Examiner believes that personal communication will expedite prosecution of this application, the Examiner is invited to telephone the undersigned at (248) 641-1600.

Respectfully submitted,

Dated: January 17, 2008By: Timothy D. MacIntyre  
Reg. No. 42,824HARNESS, DICKEY & PIERCE, P.L.C.  
P.O. Box 828  
Bloomfield Hills, Michigan 48303  
(248) 641-1600

TDM/med

Serial No. 09/784,836

Page 6 of 6